STUFF YOU ONLY SEE IN GP

Ashley Southall
GP Partner
Larksfield Surgery



- 55 year old lady
- Pain in the LUQ and lateral chest for one week.







Source: Tintinalli JE, Stapczynski JS, Ma OJ, Cline DM, Cydulka RK, Meckler GD: Tintinalli's Emergency Medicine: A Comprehensive Study Guide, 7th Edition: http://www.accessmedicine.com Copyright @ The McGraw-Hill Companies, Inc. All rights reserved.











- 45 yr old man works in construction
- New pair or work boots
- Pain plantar surface of left heel



Plantar fascia stretch

Sit down and rest the arch of your foot on a round object (e.g. a tin of beans). Roll the arch in all directions for a few minutes. Repeat this exercise at least twice daily.



Sitting plantar fascia stretch

Sit down and cross one foot over your other knee. Grab the base of your toes and pull them back towards your body until you feel a comfortable stretch. Hold for 15–20 seconds. Repeat 3 times.





Wall push


- a) Facing a wall, put both hands on the wall at shoulder height and place one foot in front of the other. The front foot should be approximately 30 cm (12 inches) from the wall. With the front knee bent and the back knee straight, bend the front knee towards the wall until the calf in your back leg feels tight. Relax and repeat 10 times.
- b) Repeat a) but bring the back foot forward a little so that the back knee is slightly bent. Repeat the 10 times.




Achilles tendon and plantar fascia stretch


Loop a towel around the ball of your foot and pull your toes towards your body, keeping your knee straight. Hold for 30 seconds. Repeat 3 times on each foot.



















- 55 year old male
- Numbness and paraesthesia lateral left thigh
























@ MAYO FOUNDATION FOR MEDICAL EDUCATION AND RESEARCH. ALL RIGHTS RESERVED.

